






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 1 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	936	936	1-Butanol, 3-methyl-	123-51-3
2	mainlib	891	892	1-Pentanol	71-41-0
3	mainlib	834	846	Oxirane, 2-(1,1-dimethylethyl)-3-methyl-	53897-30-6
4	mainlib	817	841	Oxirane, 2-(1,1-dimethylethyl)-3-ethyl-, cis-	36099-44-2
5	mainlib	801	832	3,3-Dimethyl-1,2-epoxybutane	2245-30-9

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 2 of 30
Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	723	813	Cyclobutanone, 2,2,3-trimethyl-	1449-49-6
7	mainlib	787	810	2(3H)-Furanone, dihydro-3,5-dimethyl-	5145-01-7
8	mainlib	733	809	Cyclopropane, 1,1-dimethyl-	1630-94-0
9	mainlib	784	806	2-Butene, 2-methyl-	513-35-9
10	mainlib	757	806	Cyanic acid, 2,2-dimethylpropyl ester	1459-44-5

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 3 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	491	859	DL-2,3-Butanediol	6982-25-8
2	mainlib	498	842	Succindialdehyde	638-37-9
3	mainlib	512	722	Ethanol	64-17-5
4	mainlib	651	719	Ethanedioic acid, diethyl ester	95-92-1
5	mainlib	715	716	1-Deoxy-2,4-O-methylene-d-xylitol	

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 4 of 30
Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	660	713	Oxirane, (methoxymethyl)-	930-37-0
7	mainlib	648	706	Ethyl formate	109-94-4
8	mainlib	687	704	Oxirane, (butoxymethyl)-	2426-08-6
9	mainlib	697	701	Oxirane, (ethoxymethyl)-	4016-11-9
10	mainlib	657	699	Ethyl ether	60-29-7

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 5 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	926	927	Propanoic acid, 2-hydroxy-, ethyl ester	97-64-3
2	mainlib	908	908	Propanoic acid, 2-hydroxy-, ethyl ester, (L)-	687-47-8
3	mainlib	816	822	Lactic acid	50-21-5
4	mainlib	723	796	Isopropyl Alcohol	67-63-0
5	mainlib	786	793	L-Lactic acid	79-33-4

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 6 of 30
Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	777	792	Methylal	109-87-5
7	mainlib	766	770	2,3-Butanediol, [R-(R*,R*)]-	24347-58-8
8	mainlib	759	767	2,3-Butanediol, [S-(R*,R*)]-	19132-06-0
9	mainlib	753	763	Methyltartronic acid	595-98-2
10	mainlib	756	760	2,3-Butanediol	513-85-9

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 7 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	709	823	1-Butanol, 3-methyl-, acetate	123-92-2
2	mainlib	623	811	2(3H)-Furanone, dihydro-3,5-dimethyl-	5145-01-7
3	mainlib	697	807	Acetic acid, pentyl ester	628-63-7
4	mainlib	612	788	Methyl vinyl ketone	78-94-4
5	mainlib	629	774	1-Butanol, 3-methyl-, formate	110-45-2

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 8 of 30
Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	601	764	1-Penten-3-one, 4-methyl-	1606-47-9
7	mainlib	599	759	Cyclobutanone, 2-ethyl-	10374-14-8
8	mainlib	591	749	Hexane, 2-methyl-4-methylene-	3404-80-6
9	mainlib	584	748	1-Heptene, 4-methyl-	13151-05-8
10	mainlib	646	744	cis-2,4-Dimethylthiane, S,S-dioxide	

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 9 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	541	804	(2-Methyl-2-propenyl)trimethylsilane	
2	mainlib	538	804	1,3-Dioxolane, 2-(3-bromo-5,5,5-trichloro-2,2-dimethylpentyl)-	
3	mainlib	577	795	Silane, tetramethyl-	75-76-3
4	mainlib	587	784	1-Propene-1-thiol	925-89-3
5	mainlib	545	775	(Z)-5-Methoxy-3,5-dimethyl-2-hexenyltrimethylsilane	

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 10 of 30

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	503	768	1,3-Dioxolane, 2-heptyl-	4359-57-3
7	mainlib	526	765	3-Hexenyltrimethylsilane	103110-63-0
8	mainlib	477	760	2-Ethylhexanal ethylene glycol acetal	
9	mainlib	546	755	Silane, 2-butenyltrimethyl-, (Z)-	17486-13-4
10	mainlib	527	755	1,3-Dioxolane-2-methanol	5694-68-8

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 11 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	899	907	Decanoic acid, ethyl ester	110-38-3
2	mainlib	856	862	8-Methylnonanoic acid, ethyl ester	
3	mainlib	807	851	Undecanoic acid, ethyl ester	627-90-7
4	mainlib	825	833	Nonanoic acid, 5-methyl-, ethyl ester	116530-40-6
5	mainlib	656	814	Heptanoic acid, 2-ethyl-	3274-29-1

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw

Acquired: 04-Jun-21 09:27:58 AM

Printed: 07-Jun-21 03:10 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 12 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	454	808	Methyl-6-deoxy-6-fluoro-2,3,4-tri-O-methylá-d-galactopyranoside	2248-90-0
7	mainlib	761	794	Ethyl tridecanoate	28267-29-0
8	mainlib	757	791	Pentadecanoic acid, ethyl ester	41114-00-5
9	mainlib	488	783	1-Ethyl-1-methylheptyl acetate	
10	mainlib	433	782	d-Xylopyranoside, methyl 5-C-methoxy-2,3,4-tri-O-methyl-	69502-94-9

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
 Acquired: 04-Jun-21 09:27:58 AM
 Description:
 GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
 Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 13 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	481	851	2-Ethylhexanal ethylene glycol acetal	
2	mainlib	443	802	(2-Methyl-2-propenyl)trimethylsilane	
3	mainlib	482	800	(Z)-5-Methoxy-3,5-dimethyl-2-hexenyltrimethylsilane	
4	mainlib	470	787	1,3-Dioxolane, 2-(3-bromo-5,5,5-trichloro-2,2-dimethylpentyl)-	
5	mainlib	743	756	Oxalic acid, 2TMS derivative	18294-04-7

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 14 of 30
Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	444	755	2,5-Diethoxy-3-methyl-3-vinylhexane	
7	mainlib	436	754	2-Heptenyltrimethylsilane	
8	mainlib	471	751	1-Propene-1-thiol	925-89-3
9	mainlib	732	748	tert-Butylpentamethyldisiloxane	67875-54-1
10	mainlib	429	746	1,3-Dioxolane, 2-butyl-	4360-76-3

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 15 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	353	798	1H-Imidazole-2-carboxaldehyde	10111-08-7
2	mainlib	290	786	Methyl isocyanide	593-75-9
3	mainlib	286	753	Acetonitrile	75-05-8
4	mainlib	355	750	1H-Imidazole-4-carboxaldehyde	3034-50-2
5	mainlib	345	744	3-Aminoacrylonitrile	

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 16 of 30

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	397	732	1H-Pyrazole, 1,5-dimethyl-	694-31-5
7	mainlib	460	708	4-Fluoro-2-trifluoromethylbenzoic acid, cyclohexylmethyl ester	
8	mainlib	418	701	6-(Pyrrolidin-1-yl)-1,2,4-triazolo[4,3-b][1,2,4,5]tetrazine	
9	mainlib	346	701	1-Pyrrolidinylacetonitrile	29134-29-0
10	mainlib	222	697	1,2,4,5-Tetrazine, 3,6-dimethyl-	1558-23-2

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 17 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	461	890	Acetic acid, trifluoro-, 3,7-dimethyloctyl ester	28745-07-5
2	mainlib	389	845	(S)-3,4-Dimethylpentanol	
3	mainlib	363	841	4-Nonene, 2-methyl-, (Z)-	51090-05-2
4	mainlib	418	827	Cyclopropane, 1-(1-methylethyl)-2-nonyl-	41977-39-3
5	mainlib	403	825	(Z)-Hex-2-ene, 5-methyl-	13151-17-2

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 18 of 30

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	460	823	2-Methyl-1-undecanol	10522-26-6
7	mainlib	396	814	Cyclopropane, 1-butyl-2-(2-methylpropyl)-	41977-35-9
8	mainlib	347	801	1,3-Cyclopentanedione, 4-butyl-	54244-72-3
9	mainlib	444	799	1-Pentanol, 2-ethyl-	27522-11-8
10	mainlib	433	799	1-Hexanol, 2-ethyl-	104-76-7

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
 Acquired: 04-Jun-21 09:27:58 AM
 Description:
 GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
 Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 19 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	743	761	Oxalic acid, 2TMS derivative	18294-04-7
2	mainlib	714	759	2,2,8,8-Tetramethyl-3,7-dioxo-4-aza-2,8-disilanon-4-ene	102503-30-0
3	mainlib	725	756	Ethylene glycol, 2TMS derivative	7381-30-8
4	mainlib	714	748	Malonic acid, bis(2-trimethylsilyl)ethyl ester	90744-45-9
5	mainlib	704	747	Propanoic acid, 2-oxo-3-(trimethylsilyl)-, trimethylsilyl ester	55887-51-9

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 20 of 30

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	724	744	tert-Butylpentamethyldisiloxane	67875-54-1
7	mainlib	716	733	Silanol, trimethyl-, carbonate (2:1)	39981-89-0
8	mainlib	698	733	Disiloxane, hexamethyl-	107-46-0
9	mainlib	703	731	Silane, trimethyl[4-(trimethylsilyl)butoxy]-	7140-91-2
10	mainlib	707	722	Glycolic acid, 2TMS derivative	33581-77-0

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 21 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	556	813	Propanoic acid, 2-methyl-, 2-(hydroxymethyl)-1-propylbutyl ester	74367-32-1
2	mainlib	532	789	Butane, 2-iodo-3-methyl-	18295-27-7
3	mainlib	533	776	2-Furanmethanol, tetrahydro-, acetate	637-64-9
4	mainlib	509	771	Propanoic acid, 2-methyl-, anhydride	97-72-3
5	mainlib	512	768	trans-2-Methyl-4-hexen-3-ol	96346-76-8

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 22 of 30
Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	450	767	2-Ethyltetrahydrofuran	
7	mainlib	506	758	Butanoic acid, anhydride	106-31-0
8	mainlib	513	757	Butyric acid, thio-, S-hexyl ester	2432-54-4
9	mainlib	462	753	1,5-Heptadiene-3,4-diol	51945-98-3
10	mainlib	301	752	S-Methyl 2-methylpropanethioate	42075-42-3

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
 Acquired: 04-Jun-21 09:27:58 AM
 Description:
 GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
 Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 23 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	204	794	9-Phenanthrenemethyl 2,6-dimethylbenzoate	92174-46-4
2	mainlib	280	778	4-Fluoro-2-trifluoromethylbenzoic acid, 2-nitro-5-fluorophenyl ester	
3	mainlib	503	773	Naphthalene, 1,6,7-trimethyl-	2245-38-7
4	mainlib	296	771	Dichlorphen, O,O'-bis(4-fluoro-2-trifluoromethylbenzoyl)-	
5	mainlib	289	764	2-Fluoro-3-trifluoromethylbenzoic acid, 4-nitrophenyl ester	

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 24 of 30

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	343	761	Pyrimidine, 4-methyl-2-phenyl-	34771-48-7
7	mainlib	417	760	9-Phenanthrenemethyl naphthalene-2-carboxylate	92174-49-7
8	mainlib	309	755	2,2-Dimethyl-4-ethynyl-tetrahydrothiopyran-4-ol	15601-02-2
9	mainlib	243	754	6-Fluoro-2-trifluoromethylbenzoic acid, 3-fluorophenyl ester	
10	mainlib	404	748	2H-imidazole-2-thione, 5-(1,1-dimethylethyl)-1,3-dihydro-1-methyl-	

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 25 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	393	889	Benzene, 1,1'-(1,1,10,10-tetramethyl-1,10-decanediyl)bis[3,4-dimethyl-	63934-83-8
2	mainlib	719	765	Oxalic acid, 2TMS derivative	18294-04-7
3	mainlib	698	764	Ethylene glycol, 2TMS derivative	7381-30-8
4	mainlib	378	742	1,2,4,5-Tetramethyl-3-neopentylbenzene #	33770-74-0
5	mainlib	650	734	Malonic acid, bis(2-trimethylsilylethyl ester)	90744-45-9

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 26 of 30

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	626	717	Methylmalonic acid, 2TMS derivative	40333-07-1
7	mainlib	622	717	Propanoic acid, 2-oxo-3-(trimethylsilyl)-, trimethylsilyl ester	55887-51-9
8	mainlib	646	716	Propanedioic acid, 2TMS derivative	18457-04-0
9	mainlib	667	715	Silanol, trimethyl-, carbonate (2:1)	39981-89-0
10	mainlib	656	714	Lactic Acid, 2TMS derivative	17596-96-2

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
 Acquired: 04-Jun-21 09:27:58 AM
 Description:
 GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
 Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 27 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	555	726	Ethylene glycol, 2TMS derivative	7381-30-8
2	mainlib	450	714	3-Trimethylsilyl-2-trimethylsiloxypropene	
3	mainlib	494	710	Silane, trimethyl[4-(trimethylsilyl)butoxy]-	7140-91-2
4	mainlib	443	706	Propanoic acid, 2-oxo-3-(trimethylsilyl)-, trimethylsilyl ester	55887-51-9
5	mainlib	480	703	2-Butenoic acid, 3-methyl-2-[(trimethylsilyl)oxy]-, trimethylsilyl ester	55044-79-6

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 28 of 30

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	340	702	Arabo-benzimidazole	55175-30-9
7	mainlib	490	701	Dimethyl(trimethylsilyl)methoxysilane	18107-29-4
8	mainlib	516	687	2-Phenyl-1,2-propanediol, 2TMS derivative	294847-15-7
9	mainlib	483	686	Disiloxane, hexamethyl-	107-46-0
10	mainlib	552	684	Silanol, trimethyl-, carbonate (2:1)	39981-89-0

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm






Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 29 of 30

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	253	813	N-(1,1-Dimethyl-2-propynyl)-N,N-dimethylamine	19788-24-0
2	mainlib	450	790	1,1-Divinyl-1-silacyclobutane	74045-42-4
3	mainlib	271	788	Oxirane, 2-(chloromethyl)-2-(1,1-dimethylethyl)-	121505-38-2
4	mainlib	146	784	2-Oxecanone, 4-hydroxy-10-methyl-, [4R-(4R*,10R*)]-	56020-70-3
5	mainlib	200	779	Manganese, tricarbonyl[(1,2,3,4,5- η)-1-[(dimethylamino)methyl]-2,4-cyclopentadien-1-yl]-	49626-33-7

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 μ L, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250 μ m

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Mezcal 2.raw
Acquired: 04-Jun-21 09:27:58 AM
Description:
GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP
Sample ID:

Printed: 07-Jun-21 03:10 PM

Page 30 of 30

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	282	767	1-Azabicyclo[3.1.0]hexane	285-76-7
7	mainlib	281	741	Bis(1-hydroxycyclohexyl) peroxide	2407-94-5
8	mainlib	235	731	Oxazole, 4,5-dihydro-2,5-dimethyl-	6159-22-4
9	mainlib	170	713	3-Buten-2-ol, 4-(2,2,6-trimethyl-7-oxabicyclo[4.1.0]hept-1-yl)-	51138-08-0
10	mainlib	139	706	2-Ethylprop-1-ene (1-3)sultine	84735-13-7

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm