

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 1 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	940	940	1-Butanol, 3-methyl-	123-51-3
2	mainlib	893	893	1-Pentanol	71-41-0
3	mainlib	826	838	Oxirane, 2-(1,1-dimethylethyl)-3-methyl-	53897-30-6
4	mainlib	812	836	Oxirane, 2-(1,1-dimethylethyl)-3-ethyl-, cis-	36099-44-2
5	mainlib	797	828	3,3-Dimethyl-1,2-epoxybutane	2245-30-9

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 2 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	774	826	Cyanoic acid, 2,2-dimethylpropyl ester	1459-44-5
7	mainlib	795	819	2(3H)-Furanone, dihydro-3,5-dimethyl-	5145-01-7
8	mainlib	720	811	Cyclobutanone, 2,2,3-trimethyl-	1449-49-6
9	mainlib	783	807	2-Butene, 2-methyl-	513-35-9
10	mainlib	728	806	Cyclopropane, 1,1-dimethyl-	1630-94-0

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 3 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	928	931	Cyclopentanone	120-92-3
2	mainlib	794	794	2-Hexene, (Z)-	7688-21-3
3	mainlib	544	791	Cyclobutanone, 2-methyl-	1517-15-3
4	mainlib	789	789	2-Hexene, (E)-	4050-45-7
5	mainlib	785	785	3-Hexene, (Z)-	7642-09-3

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 4 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	780	782	2-Hexene	592-43-8
7	mainlib	763	771	2H-Pyran, 3,4-dihydro-	110-87-2
8	mainlib	762	768	2-Butenal, 2-methyl-, (E)-	497-03-0
9	mainlib	766	767	2-Oxepanone, 7-methyl-	2549-59-9
10	mainlib	766	766	3-Hexene	592-47-2

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 5 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	896	897	Propanoic acid, 2-hydroxy-, ethyl ester	97-64-3
2	mainlib	878	878	Propanoic acid, 2-hydroxy-, ethyl ester, (L)-	687-47-8
3	mainlib	825	831	L-Lactic acid	79-33-4
4	mainlib	813	821	2,3-Butanediol, [S-(R*,R*)]-	19132-06-0
5	mainlib	747	808	Isopropyl Alcohol	67-63-0

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 6 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	783	791	Methylal	109-87-5
7	mainlib	714	772	2,2-Dichloroethyl methyl ether	34862-07-2
8	mainlib	714	769	2-Hydrazinoethanol	109-84-2
9	mainlib	758	764	Lactic acid	50-21-5
10	mainlib	753	758	2,3-Butanediol, [R-(R*,R*)]-	24347-58-8

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 7 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	825	875	3-Furaldehyde	498-60-2
2	mainlib	726	865	4-Methyl-2H-pyran	
3	mainlib	427	850	Deprenyl	2323-36-6
4	mainlib	804	818	Furfural	98-01-1
5	mainlib	413	739	2-Propyn-1-ol, acetate	627-09-8

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 8 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	696	730	1H-Pyrazole, 1,5-dimethyl-	694-31-5
7	mainlib	708	722	Pyrazole, 1,4-dimethyl-	1072-68-0
8	mainlib	429	715	2H-Pyran-2-one, tetrahydro-6,6-dimethyl-	2610-95-9
9	mainlib	353	713	1,4-Dioxane-2,5-dione, 3,3,6,6-tetramethyl-	6713-72-0
10	mainlib	424	710	(E)-1,3-Butadien-1-ol	70411-98-2

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 9 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	479	942	2-Ethylhexanal ethylene glycol acetal	
2	mainlib	510	881	1-Butyl-2-methylidene-3-(trimethylsilyl)cyclopropane	78638-80-9
3	mainlib	574	854	1,3-Dioxolane, 2-(3-bromo-5,5,5-trichloro-2,2-dimethylpentyl)-	
4	mainlib	556	854	(Z)-5-Methoxy-3,5-dimethyl-2-hexenyltrimethylsilane	
5	mainlib	589	818	1-(2-Methoxyethoxy)-2-methyl-2-propanol, methyl ether	

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 10 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	544	816	2,5-Diethoxy-3-methyl-3-vinylhexane	
7	mainlib	636	811	Silane, trimethyl-3-penten-2-yl-, trans	53264-56-5
8	mainlib	574	811	2-Heptenyltrimethylsilane	
9	mainlib	551	808	1,3-Dioxolane, 2-butyl-	4360-76-3
10	mainlib	519	806	Acetic acid, 3-[1,3]dioxolan-2-ylpropyl ester	

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 11 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	555	796	(2-Methyl-2-propenyl)trimethylsilane	
2	mainlib	547	791	(Z)-5-Methoxy-3,5-dimethyl-2-hexenyltrimethylsilane	
3	mainlib	515	771	1-Butyl-2-methylidene-3-(trimethylsilyl)cyclopropane	78638-80-9
4	mainlib	530	758	2,5-Diethoxy-3-methyl-3-vinylhexane	
5	mainlib	557	753	1-Propene-1-thiol	925-89-3

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 12 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	698	751	Malonic acid, bis(2-trimethylsilylethyl ester)	90744-45-9
7	mainlib	530	751	2-Heptenyltrimethylsilane	
8	mainlib	544	743	Cyclopropane, 2-methylene-1-pentyl-1-trimethylsilyl-	167300-47-2
9	mainlib	514	742	3-Hexenyltrimethylsilane	103110-63-0
10	mainlib	549	737	Silane, (1-cyclopenten-1-ylmethyl)trimethyl-	75311-60-3

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 13 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	912	915	Decanoic acid, ethyl ester	110-38-3
2	mainlib	825	865	Undecanoic acid, ethyl ester	627-90-7
3	mainlib	857	860	8-Methylnonanoic acid, ethyl ester	
4	mainlib	825	830	Nonanoic acid, 5-methyl-, ethyl ester	116530-40-6
5	mainlib	793	814	Nonanoic acid, ethyl ester	123-29-5

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 14 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	652	809	Heptanoic acid, 2-ethyl-	3274-29-1
7	mainlib	767	797	Ethyl tridecanoate	28267-29-0
8	mainlib	761	792	Pentadecanoic acid, ethyl ester	41114-00-5
9	mainlib	713	789	Heptanoic acid, ethyl ester	106-30-9
10	mainlib	734	779	10-Bromodecanoic acid, ethyl ester	55099-31-5

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 15 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	453	876	2-Ethylhexanal ethylene glycol acetal	
2	mainlib	511	817	(Z)-5-Methoxy-3,5-dimethyl-2-hexenyltrimethylsilane	
3	mainlib	450	802	(2-Methyl-2-propenyl)trimethylsilane	
4	mainlib	774	786	Oxalic acid, 2TMS derivative	18294-04-7
5	mainlib	436	781	1,3-Dioxolane, 2-(3-bromo-5,5,5-trichloro-2,2-dimethylpentyl)-	

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 16 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	475	772	1-Propene-1-thiol	925-89-3
7	mainlib	458	768	2,5-Diethoxy-3-methyl-3-vinylhexane	
8	mainlib	442	768	1,3-Dioxolane, 2-butyl-	4360-76-3
9	mainlib	430	767	Acetic acid, 3-[1,3]dioxolan-2-ylpropyl ester	
10	mainlib	734	760	Ethylene glycol, 2TMS derivative	7381-30-8

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 17 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	428	864	Methyl-6-deoxy-6-fluoro-2,3,4-tri-O-methylád-galactopyranoside	2248-90-0
2	mainlib	759	841	Undecanoic acid, ethyl ester	627-90-7
3	mainlib	181	838	1,2-Pentadiene, 4-methoxy-4-methyl-	49833-91-2
4	mainlib	734	834	Decanoic acid, ethyl ester	110-38-3
5	mainlib	785	828	Dodecanoic acid, ethyl ester	106-33-2

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 18 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	753	828	8-Methylnonanoic acid, ethyl ester	
7	mainlib	682	822	Undecanoic acid, 2,8-dimethyl-, methyl ester	55955-74-3
8	mainlib	442	822	3-Heptanol, 3,5-dimethyl-	19549-74-7
9	mainlib	705	815	Nonanoic acid, ethyl ester	123-29-5
10	mainlib	742	811	Ethyl tridecanoate	28267-29-0

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 19 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	519	789	1-Propene-1-thiol	925-89-3
2	mainlib	752	767	Oxalic acid, 2TMS derivative	18294-04-7
3	mainlib	491	760	2,5-Diethoxy-3-methyl-3-vinylhexane	
4	mainlib	726	754	Ethylene glycol, 2TMS derivative	7381-30-8
5	mainlib	704	735	Malonic acid, bis(2-trimethylsilylethyl ester)	90744-45-9

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 20 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	695	735	2,2,8,8-Tetramethyl-3,7-dioxo-4-aza-2,8-disilanon-4-ene	102503-30-0
7	mainlib	705	732	Silane, trimethyl[4-(trimethylsilyl)butoxy]-	7140-91-2
8	mainlib	461	729	3,6-Bis(trimethylsilyl)-1,4-cyclohexadiene	18090-43-2
9	mainlib	702	725	Propanedioic acid, 2TMS derivative	18457-04-0
10	mainlib	681	720	Propanoic acid, 2-oxo-3-(trimethylsilyl)-, trimethylsilyl ester	55887-51-9

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 21 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	508	828	4,5-Octanedione	5455-24-3
2	mainlib	548	807	2,6-Octadiene-4,5-diol	4486-59-3
3	mainlib	497	805	2-Ethyltetrahydrofuran	
4	mainlib	459	789	1-Heptene, 3-methoxy-	14093-58-4
5	mainlib	616	778	Propanoic acid, 2-methyl-, 2-ethyl-1-propyl-1,3-propanediyl ester	74367-30-9

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 22 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	558	763	Cyclohexanol, 2,2-dichloro-1-methyl-	
7	mainlib	658	759	Pentanoic acid, 2,2,4-trimethyl-3-carboxyisopropyl, isobutyl ester	
8	mainlib	532	753	1,6-Heptadien-4-ol	2883-45-6
9	mainlib	531	752	Methane, bis(neopentyloxy)-	4457-17-4
10	mainlib	515	752	Propanoic acid, 2-methyl-, anhydride	97-72-3

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 23 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	406	825	Benzene, 1,1'-(1,1,10,10-tetramethyl-1,10-decanediyl)bis[3,4-dimethyl-	63934-83-8
2	mainlib	394	811	1,2,4,5-Tetramethyl-3-neopentylbenzene #	33770-74-0
3	mainlib	703	755	Oxalic acid, 2TMS derivative	18294-04-7
4	mainlib	677	753	Ethylene glycol, 2TMS derivative	7381-30-8
5	mainlib	583	733	1-(3-Methylbutyl)-2,3,4,6-tetramethylbenzene	116761-72-9

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 24 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	665	718	Silanol, trimethyl-, carbonate (2:1)	39981-89-0
7	mainlib	562	713	1-(3-Methylbutyl)-2,3,5,6-tetramethylbenzene	116761-73-0
8	mainlib	632	708	Silane, trimethyl[4-(trimethylsilyl)butoxy]-	7140-91-2
9	mainlib	631	705	Propanedioic acid, 2TMS derivative	18457-04-0
10	mainlib	591	703	Propanoic acid, 2-oxo-3-(trimethylsilyl)-, trimethylsilyl ester	55887-51-9

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM



Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 25 of 30


Sample ID:

Vial Number: 0




M:391 RM:756 P:0. mainlib 63061: Heptanoic acid, 2-ethyl-

Hit: 1




M:258 RM:708 P:0. mainlib 81862: d-Xylopyranoside, methyl 5-C-methoxy-2,3,4-tri-O-methyl-

Hit: 2



M:256 RM:706 P:0. mainlib 63052: 5-(Methylamino)-1,2,3,4-thiaziazole

Hit: 3



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	391	756	Heptanoic acid, 2-ethyl-	3274-29-1
2	mainlib	258	708	d-Xylopyranoside, methyl 5-C-methoxy-2,3,4-tri-O-methyl-	69502-94-9
3	mainlib	256	706	5-(Methylamino)-1,2,3,4-thiaziazole	52098-72-3
4	mainlib	345	703	Heptanoic acid, 2,6-dimethyl-, methyl ester	33315-72-9
5	mainlib	380	700	á-D-Xylopyranoside, methyl 2,3,4-tri-O-methyl-	2876-85-9

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 26 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	371	693	Lyxopyranoside, methyl 2,3,4-tri-O-methyl-, á-D-	2876-84-8
7	mainlib	376	688	à-d-Lyxopyranoside, methyl 2,3,4-tri-O-methyl-	2876-90-6
8	mainlib	287	683	Succinic acid, di(2-fluoroethyl) ester	
9	mainlib	411	678	Undecanoic acid, 2,8-dimethyl-, methyl ester	55955-74-3
10	mainlib	366	675	Methyl 2,3,4-tri-O-methyl-á-D-xylopyranoside	20188-52-7

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 27 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	448	851	Benzene, 1,1'-(1,1,10,10-tetramethyl-1,10-decanediyl)bis[3,4-dimethyl-	63934-83-8
2	mainlib	455	768	2,5-pyrrolidinedione, 1-[(4-propylbenzoyl)oxy]-	
3	mainlib	613	742	Ethylene glycol, 2TMS derivative	7381-30-8
4	mainlib	533	741	3-Trimethylsilyl-2-trimethylsiloxypropene	
5	mainlib	444	722	Cyclopropanamine, N-methyl-1-phenyl-	56771-48-3

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 28 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	294	717	Methanone, (2,3-dihydro-5-benzofuryl)(4-morpholyl)-	
7	mainlib	559	716	Methylmalonic acid, 2TMS derivative	40333-07-1
8	mainlib	254	715	2H-1,4-Benzoxazin-3(4H)-one, 4-hydroxy-2,6-dimethyl-	13212-64-1
9	mainlib	540	714	2,2,8,8-Tetramethyl-3,7-dioxo-4-aza-2,8-disilanon-4-ene	102503-30-0
10	mainlib	433	712	1-Butanone, 2-chloro-3-methyl-1-[4-(1-methylethyl)phenyl]-	55955-90-3

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM






Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 29 of 30

Sample ID:

Vial Number: 0



#	Lib	Match	R.Match	Name	CAS#
1	mainlib	348	790	Heptanoic acid, 2,6-dimethyl-, methyl ester	33315-72-9
2	mainlib	250	790	d-Xylopyranoside, methyl 5-C-methoxy-2,3,4-tri-O-methyl-	69502-94-9
3	mainlib	366	758	Nonanoic acid, 2,6-dimethyl-, methyl ester	55955-67-4
4	mainlib	196	752	Phenol, 3,5-dichloro-2-methoxy-	56680-89-8
5	mainlib	320	735	D-Xylopyranose, 5-C-hydroxy-2,3,4-tri-O-methyl-	69502-93-8

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 µL, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250µm

Library Search Chromatogram/Spectrum Peak Report

File: C:\TurboMass\CANNABIS VOCS.PRO\Data\Verde.raw

Acquired: 04-Jun-21 10:50:28 AM

Printed: 07-Jun-21 04:08 PM

Description:

GC/MS Method: GC: GC Terpene Method.mth MS: Terpene MS Method.EXP

Page 30 of 30

Sample ID:

Vial Number: 0

#	Lib	Match	R.Match	Name	CAS#
6	mainlib	358	722	Nonanoic acid, 2,4-dimethyl-, methyl ester	54889-61-1
7	mainlib	228	720	Methyl 2,3,4-tri-O-methyl-6-deoxy- α -D-mannopyranoside	35939-74-3
8	mainlib	363	712	Octanoic acid, 2,6-dimethyl-, methyl ester	54798-85-5
9	mainlib	224	712	3,4-Heptadien-2-one, 3-cyclopentyl-6-methyl-	63922-50-9
10	mainlib	336	704	Methyl 2,4-dimethyltetradecanoate	

Inst() ACQUISITION PARAMETERS

Oven: Initial temp 100°C for 0.50 min, ramp 10°C/min to 150°C, hold 0 min, ramp 35°C/min to 250°C, hold 0 min, ramp 30°C/min to 280°C, hold 2.45 min, Inj=250°C, Volume=0 μ L, Split=0:1, Carrier Gas=He, Solvent Delay=2.80 min, Transfer Temp=260°C, Source Temp=270°C, Scan: 27 to 205Da, Column 30.0m x 250 μ m